NRL Memorandum Report 3442

Semidiurnal Hough Mode Extensions in the Thermosphere and Their Application

RICHARD S. LINDZEN

Plasma Dynamics Branch
Plasma Physics Division

and

SIU-SHUNG HONG

Cooperative Institute for Research
in Environmental Sciences
Boulder, Colorado

and

JEFFREY FORBES

Boston College

February 1977

This work was supported by the Defense Nuclear Agency under Subtask S99QAXHC065, work unit 08, and work title Late Time Debris Motion.

NAVAL RESEARCH LABORATORY
Washington, D.C.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS BEFORE COMPLETING FORM

1. REPORT NUMBER: NRL Memorandum Report 3442

2. GOVT ACCESSION NO.

3. RECIPIENT'S CATALOG NUMBER

(9) Interim rept.

4. TITLE (and Subtitle): (6) SEMIDIURNAL HOUGH MODE EXTENSIONS IN THE THERMOSPHERE AND THEIR APPLICATION

5. TYPE OF REPORT & PERIOD COVERED: Interim report on a continuing NRL problem.

6. PERFORMING ORG. REPORT NUMBER

7. AUTHOR(s): (10) Richard S. Lindzen, Siu-shung Hong and Jeffrey Forbes

8. CONTRACT OR GRANT NUMBER(s)

9. PERFORMING ORGANIZATION NAME AND ADDRESS: Naval Research Laboratory, Washington, D.C. 20375

10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS: NRL Problem H02-27B; DNA Subtask S99QAXHC065

11. CONTROLLING OFFICE NAME AND ADDRESS: Defense Nuclear Agency, Washington, D.C. 20305

12. REPORT DATE: (11) Feb[illegible]77

13. NUMBER OF PAGES: 75

14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office): (12) 69p.

15. SECURITY CLASS. (of this report): UNCLASSIFIED

15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

DDC RECEIVED APR 14 1977 C

16. DISTRIBUTION STATEMENT (of this Report): Approved for public release; distribution unlimited.

(14) NRL-MR-3442

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES: This work was supported by the Defense Nuclear Agency under Subtask S99QAXHC065, work unit 08, work title Late Time Debris Motion.

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)
Tides
Semidiurnal
Thermosphere
Hough mode extensions

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

Semidiurnal tidal modes propagate vertically without change of meridional structure in the lower atmosphere. However, in the thermosphere where viscosity, ion drag, and other processes assume importance, individual tidal modes, propagating into the thermosphere from below, begin to change meridional structure as they propagate vertically. In addition, the modes are subject to attenuation. The extent of meridional alteration and vertical attenuation depends on the mean thermal structure of the thermosphere and the degree of ionization, both of which vary during the

→ next page

(Continues)

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

251 950

AB

20. Abstract (Continued)

cont

solar cycle. This note gives the results of numerical calculations of the explicit behavior of the 2,2, 2,3, 2,4, and 2,5 Hough modes within the thermosphere under conditions typical of sunspot maximum and minimum. In addition we present a numerical description of semidiurnal tides excited within the thermosphere. For the convenience of the reader a copy of a paper by Hong and Lindzen giving details of the numerical program is included. The present report can be considered an extensive addendum to this paper.

CONTENTS



SEMIDIURNAL HOUGH MODE EXTENSIONS IN THE THERMOSPHERE AND THEIR APPLICATION

I. Introduction

In Hong and Lindzen (1976) a general computation of the semidiurnal tide in the thermosphere was presented in detail. It was noted in that paper that the semidiurnal tide in the thermosphere was primarily forced from below, though at sunspot maximum tides from below were severely attenuated in the thermosphere so that in situ thermospheric forcing was of comparable importance for the semidiurnal tide in the upper thermosphere (above 200 km). In all cases, the lower thermosphere was dominated by higher order Hough modes whose origin is primarily the troposphere and mesosphere. The presentation of results in Hong and Lindzen (1976) was made particularly difficult by the fact the amplitudes and phases of the higher order modes (2,3: 2,4: 2,5) were sensitive to detailed variations of the wind and temperature below 100 km - variations which could occur within a single season. To a lesser extent this sensitivity holds for the 2,2 mode itself. Thus, it was obvious that observers might need information on the upward extension of individual Hough modes incident on the thermosphere at, say, 100 km. Such information could permit observers to deduce the global implications of observations at a

Note: Manuscript submitted January 4, 1977.

few stations. Unfortunately, it is difficult to present such information in a compact form since the linearized equations for tides in the thermosphere are no longer separable in their latitude and altitude dependence due to the presence of ion drag and molecular viscosity; i.e., the latitude structure of a given mode forced below 100 km will change with height above 100 km or; equivalently, vertical structure will vary with latitude. Moreover, such 2-dimensional structures will vary with solar cycle insofar as ion drag (proportional to electron density) and neutral temperature vary with the solar cycle. To present the upward extension of a single mode at sunspot minimum and maximum has required 24 fairly detailed diagrams, and extensions of four modes are necessary. In addition we must include 16 additional diagrams which display the atmospheric response to in situ EUV and Schumann-Runge forcing within the thermosphere during sunspot maximum and minimum. One hundred and twelve diagrams exceed the tolerance of most editors, and generally interfere with the convenient reading of a paper. However, for specialists these diagrams are of considerable use. We have, therefore, prepared this report wherein the above mentioned diagrams are presented as a supplement to our paper.

II. Brief Description of Results

In view of the non-separability of the tidal equations in the thermosphere, the use of the term, Hough mode, is by no means unambiguous. What we shall mean by the term is that configuration of fields in the thermosphere forced by an upcoming wave at 100 km consisting in that Hough mode alone. Note that Hough modes in the

conventional sense (Chapman and Lindzen, 1970) are well defined at 100 km. To distinguish the Hough mode in the thermosphere from the conventionally defined Hough mode, we will use the term, Hough mode extension, (HME). Computational details are given in Hong and Lindzen (1976), which is included as an appendix.

Figures 1a, 2a, 3a, and 4a show the vertical variation of the amplitude of the 2,2 Hough mode extensions, at various latitudes at sunspot minimum, for the temperature, northerly velocity, westerly velocity and vertical velocity fields, respectively; while Figures 1b, 2b, 3b, and 4b show the vertical variation of the phase of the 2,2 Hough mode extension (HME) in each of these fields for the same latitudes and sunspot conditions. Figures 5-8 show the same quantities at sunspot maximum. The assumed conditions at sunspot maximum and minimum are described in Hong and Lindzen (1976). Note that for a given HME, all amplitudes are arbitrary to within a single constant factor (appropriate to all fields to all altitudes and latitudes) while all phases are arbitrary to within a single constant phase displacement. In other words, Figures 1-8 give only relative amplitudes and phases for the 2,2 HME under sunspot minimum and maximum conditions. Figures 1-8 offer results for only a limited number of latitudes (0°, 15°, 30°, 45°, and 60°). In order to aid the reader in interpolating these results to other latitudes we present in Figures 9-12 the variations of amplitudes and phases with latitude at specific altitudes. These altitudes have been chosen as representative of the lower and upper thermosphere and of an intermediate level. Results are shown for both sunspot maximum and minimum conditions. All amplitudes in

Figures 9-12 have been normalized by maximum values at a given altitude. Hence, these values must be calibrated by values from Figures 1-8. Figures 9-12 show clearly the extent to which non-separability affects HME's in the thermosphere. In classical tidal theory (Chapman and Lindzen, 1970) latitudinal structures are independent of altitude and phases are independent of latitude.

The conterparts of Figures 1-12 for the 2,3 HME are shown in Figures 13-24. Note that since the 2,3 mode is antisymmetric about the equator, temperature, westerly velocity and vertical velocity amplitudes are zero at the equator while northerly velocity amplitudes are non-zero there. The counterparts of Figures 1-12 for the 2,4 HME are shown in Figures 25-36, and the counterparts for the 2,5 mode are shown in Figures 37-48.

A caveat is in order concerning accuracy. The calculations used for this report had somewhat better numerical resolution than those in Hong and Lindzen (1976). Nevertheless, we estimate tha accuracy of our results for the 2,2 and 2,3 HME's to be only 5% of maximum values at any altitude; for the 2,4 and 2,5 HME's the corresponding accuracy is only about 10%. We believe these accuracy estimates to be conservative. However, small relative amplitudes at any given altitude are naturally suspect, as are the phases corresponding to such small relative amplitudes. In most practical problems, this should be of little consequence.

Finally, in Figures 49-52 we show the amplitudes and phases of the semidiurnal tidal fields, as functions of height at various latitudes, due to in situ thermospheric forcing at sunspot minimum.

Figures 53-56 give the corresponding results for sunspot maximum. The heating functions are described in Hong and Lindzen (1976). For sunspot maximum we used the lower values for the flux in the Schumann-Runge continuum. We approximated the latitude dependence of the in situ heating by a classical 2,2 Hough function. This, in fact, accounts for the bulk of the heating; and since the resulting amplitudes are, in general, relatively small, we do not feel that the corrections to our simple heating structure will prove significant. Similarly, we have not included any detailed latitude destributions of in situ response. In general, this response is very smooth and interpolation directly from Figures 49-56 should prove adequate.

III. Remarks

As already noted in Hong and Lindzen (1976), as concerns height of maximum amplitude, attenuation of amplitude from maximum to top of thermosphere, and phase variation with height, the 2,2 and 2,3 modes are quite similar and would be hard to distinguish at a single station. The same degree of similarily exists between the 2,4 and 2,5 modes. It is not so surprising that essentially similar modes should occur in pairs differing only in symmetry.

IV. Applications

The main use of the present report will be to deduce global implications from observations of semidiurnal tides at a few stations. An example of how this may be done may be found in a recent paper (Lindzen, 1976) wherein lower thermospheric data from Millstone Hill (46.6°N), St. Santin (45°N) and Arecibo (18°N) were used to determine the amplitudes and phases of the 2,4 and 2,5 modes which dominate the

semidiurnal tide below 120 km. Lindzen (1976) used classical Hough modes, whereas with the present work it will be possible to repeat this work with the more appropriate Hough mode extensions. It is our intention to use data from the above stations for the upper and lower thermosphere to deduce the amplitudes and phases of all the HME's in this report, using the following procedure:

(1) It is now well established that the semidiurnal tide in the lower thermosphere is dominated by the 2,4 and 2,5 modes. Thus data from these levels may be used to calibrate these HME's in a manner entirely analogous to that used in Lindzen (1976).

(2) Using results in this report for the thermospherically-forced semidiurnal tide (Figures 48-56), the results from item 1 above, and the 2,4 and 2,5 HME's from this report, we can calculate the combined contribution from in situ forcing and the 2,4 and 2,5 modes to the semidiurnal tide in the upper thermosphere where the 2,2 and 2,3 modes assume considerable prominence. Thus, the difference between the above contributions and upper thermospheric observation will permit us to evaluate the contributions from the 2,2 and 2,3 modes forced from below the thermosphere.

(3) The results from item 2, above, can be used to improve the results from item 1, above, and so on.

The above observationally based estimates will permit not only the generation of global models on the basis of limited observations, but will also provide reasonable tests of the predictions provided by models for the generation of tides in the lower atmosphere such as that of Lindzen and Hong (1974).

A complete picture of daily variations in the thermosphere will require a knowledge of the diurnal as well as the semidiurnal tide in the thermosphere. The former will not require any counterpart of the present semidiurnal HME's because it can be shown that the diurnal tide in the thermosphere is almost entirely forced in situ (Lindzen, 1971), primarily by EUV absorption. One of the present authors (J. Forbes) is currently completing a calculation of the thermospherically-forced diurnal tide similar to the calculations of Hong and Lindzen (1976) for the semidiurnal tide. It is hoped that the diurnal caculations will be sufficiently accurate to improve our current knowledge of the EUV flux, and hence, among other things, improve our calculations of the thermospherically-forced semidiurnal tide.

Acknowledgements

The authors wish to thank Steven Piacsek, Steven Zalesak, Darrell Strobel, Donna Morin and Tazewell Rufty for their aid in the preparation of this report.

References

1. Chapman, S., and R. S. Lindzen, 1970, Atmospheric Tides, D. Reidel, Dordrecht, Holland, 200 pp.

2. Hong, S., and R. S. Lindzen, 1976, Solar Semidiurnal Tide in the Thermosphere. J. Atmos. Sci., 33, in press.

3. Lindzen, R. S., 1971, Internal Gravity Waves in Atmospheres with Realistic Dissipation and Temperature: Part III. Daily Variations in the Thermosphere. Geophys. Fluid Dyn., 2, 89-121.

4. Lindzen, R. S., 1976, A Modal Decomposition of the Semidiurnal Tide in the Lower Thermosphere. J. Geophys. Res., 81, 2923-2926.

5. Lindzen, R. S. and S. Hong, 1974, Effects of Mean Winds and Horizontal Temperature Gradients on Solar and Lunar Semidiurnal Tides in the Atmosphere. J. Atmos. Sci., 31, 1421-1446.



Fig. 1 — (a) Amplitude of temperature oscillation of the 2,2 Hough mode extension (HME) as a function of altitude for various latitudes under minimum sunspot conditions. Different line conventions apply to different latitudes as follows: ——, 0°; — — —, 15°; — — — —, 30°; — — — —, 45°; — — — —, 60°. (b) Phase of temperature oscillation (hour of maximum, local time) of the 2,2 Hough mode extension (HME) as a function of altitude for various latitudes under minimum sunspot conditions. Line convention as in (1a).



Fig. 2 — Same as Fig. 1, but for the westerly velocity oscillation of the 2,2 HME under minimum sunspot conditions



Fig. 3 — Same as Fig. 1, but for the northerly velocity oscillation of the 2,2 HME under minimum sunspot conditions



Fig. 4 — Same as Fig. 1, but for the vertical velocity oscillation of the 2,2 HME under minimum sunspot conditions



Fig. 5 — Same as Fig. 1 but for maximum sunspot conditions



Fig. 6 — Same as Fig. 2 but for maximum sunspot conditions



Fig. 7 — Same as Fig. 3 but for maximum sunspot conditions



Fig. 8 — Same as Fig. 4 but for maximum sunspot conditions



Fig. 9 — (a) Amplitude of temperature oscillation of the 2,2 HME as a function of latitude for selected altitudes and sunspot conditions (values normalized by maximum value at each altitude). MI refers to sunspot minimum; MA refers to sunspot maximum. Values at 100 km are essentially independent of sunspot conditions. (b) Phase of temperature oscillation (time of maximum, local time) of the 2,2 HME as a function of latitude for selected altitudes and sunspot conditions.



Fig. 10 — Same as 9, but for the westerly velocity oscillation of the 2,2 HME



Fig. 11 — Same as 9 but for the northerly velocity oscillation of the 2,2 HME



Fig. 12 — Same as 9 but for the vertical velocity oscillation of the 2,2 HME



Fig. 13 — Same as 1 but for the 2,3 HME



Fig. 14 — Same as 2 but for the 2,3 HME



Fig. 15 — Same as 3 but for the 2,3 HME



Fig. 16 — Same as 4 but for the 2,3 HME



Fig. 17 — Same as 5 but for the 2,3 HME



Fig. 18 — Same as 6 but for the 2,3 HME



Fig. 19 — Same as 7 but for the 2,3 HME



Fig. 20 — Same as 8 but for the 2,3 HME



Fig. 21 — Same as 9 but for the 2,3 HME



Fig. 22 — Same as 10 but for the 2,3 HME



Fig. 23 — Same as 11 but for the 2,3 HME



Fig. 24 — Same as 12 but for the 2,3 HME



Fig. 25 — Same as 1 but for the 2,4 HME



Fig. 26 — Same as 2 but for the 2,4 HME



Fig. 27 — Same as 3 but for the 2,4 HME



Fig. 28 — Same as 4 but for the 2,4 HME



Fig. 29 — Same as 5 but for the 2,4 HME



Fig. 30 — Same as 6 but for the 2,4 HME



Fig. 31 — Same as 7 but for the 2,4 HME



Fig. 32 — Same as 8 but for the 2,4 HME



Fig. 33 — Same as 9 but for the 2,4 HME



Fig. 34 — Same as 10 but for the 2,4 HME



Fig. 35 — Same as 11 but for the 2,4 HME



Fig. 36 — Same as 12 but for the 2,4 HME



Fig. 37 — Same as 1 but for the 2,5 HME



Fig. 38 — Same as 2 but for the 2,5 HME



Fig. 39 — Same as 3 but for the 2,5 HME



Fig. 40 — Same as 4 but for the 2,5 HME



Fig. 41 — Same as 5 but for the 2,5 HME



Fig. 42 — Same as 6 but for the 2,5 HME



Fig. 43 — Same as 7 but for the 2,5 HME



Fig. 44 — Same as 8 but for the 2,5 HME



Fig. 45 — Same as 9 but for the 2,5 HME



Fig. 46 — Same as 10 but for the 2,5 HME



Fig. 47 — Same as 11 but for the 2,5 HME



Fig. 48 — Same as 12 but for the 2,5 HME



Fig. 49 — (a) Amplitude of the semidiurnal temperature oscillation forced by absorption in the EUV and Schuemann-Runge continuum as a function of altitude at selected latitudes for sunspot minimum conditions. See Fig. 1 for line conventions. See text for further details. (b) Phase (hour of maximum, local time) of the semidiurnal temperature oscillation described in 49(a).



Fig. 50 — Same as 49 but for the westerly velocity oscillation



Fig. 51 — Same as 49 but for the northerly velocity oscillation



Fig. 52 — Same as 49 but for the vertical velocity oscillation



Fig. 53 — Same as 49 but for sunspot maximum conditions



Fig. 54 — Same as 50 but for sunspot maximum conditions



Fig. 55 — Same as 51 but for sunspot maximum conditions



Fig. 56 — Same as 52 but for sunspot maximum conditions

DISTRIBUTION LIST

DIRECTOR
Defense Advanced Rsch Proj Agency
Architect Building
1400 Wilson Blvd.
Arlington, VA 22209
ATTN: Strategic Tech Office

Defense Communication Engineer Center
1860 Wiehle Avenue
Reston, VA 22090
ATTN: CODE R820 R. L. Crawford
ATTN: CODE $410 W. D. Dehart

DIRECTOR
Defense Communications Agency
Washington, D. C. 20305
ATTN: CODE 960
ATTN: CODE 480

Defense Documentation Center
Cameron Station
Alexandria, VA 22341 12 copies
ATTN: TC

DIRECTOR
Defense Intelligence Agency
Washington, D. C. 20301
ATTN: W. Wittig DC-7D
ATTN: DT-1B

DIRECTOR
Defense Nuclear Agency
Washington, D. C. 20305
ATTN: STSI Archives
ATTN: STVL
ATTN: STTL Tech Library 2 copies
ATTN: DDST
ATTN: RAAE

DIR OF DEFENSE RSCH & ENGINEERING
Washington, D. C. 20301
ATTN: DD/S&SS John B. Walsh
ATTN: OAD/EPS LTS. W. A. Whitaker

COMMANDER
Field Command
Defense Nuclear Agency
Kirtland AFB, NM 87115
ATTN: FCPR

Interservice Nuclear Weapons School
Kirtland AFB, NM 87115
ATTN: Document Control

DIRECTOR
Joint Strat TGT Planning Staff Jcs
Offutt AFB
Omaha, NB 68113
ATTN: JLTW-2
ATTN: JPST G. D. Burton
ATTN: JPST MAJ. J. S. Green

CHIEF
Livermore Division Fld Command DNA
Lawrence Livermore Laboratory
P. O. Box 808
Livermore, CA 94550
ATTN: FCPRL

COMMANDER
National Military Comd Sys Support Ctr
Pentagon
Washington, D. C. 20301
ATTN: B211
ATTN: DP Director for CSPO

DIRECTOR
National Security Agency
Ft. George G. Meade, Md. 20755
ATTN: W14 Pat Clark
ATTN: Frank Leonard

OJCS/J-3
The Pentagon
Washington, D. C. 20301
ATTN: J-3 OPS ANAL BR. COL. Underhill

OJCS/J-6
The Pentagon
Washington, D. C. 20301
ATTN: J-6

DIRECTOR
Telecommunications & Comd & Con Sys
Washington, D. C. 20301
ATTN: ASST DIR Info & Space Sys
ATTN: DEP ASST. SEC Sys

Weapons Ststems Evaluation Grou½
400 Army Navy Drive
Arlington, VA 22202
ATTN: DOCUMENT CONTROL

COMMANDER
Harry Diamond Laboratories
2800 Powder Mill Road
Adelphi, MD 20783
ATTN: AMXDO-NP

COMMANDER
TRASANA
White Sands Missle Range, NM 88002
ATTN: EAB

DIRECTOR
U. S. Army Ballistic Research Labs
Aberdeen Proving Ground, MD 21003
ATTN: AM-CA Franklin E. Niles

U. S. Army Communications CMD
C-E Services Division
Pentagon Rm. 2D513
Washington, D. C. 20310
ATTN: CEAD

COMMANDER
U. S. Army Electronics Command
Fort Monmouth, N.J. 07703
ATTN: AMSEL-TL-ENS Hans A. Bomke

COMMANDER
U. S. Army Material Command
5001 Eisenhower Avenue
Alexandria, VA 22333
ATTN: AMCRD-WN-RE John F. Corrigan

COMMANDER
U. S. Army Material Command
Foreign and Scientific Tech Center
220 7th St. N. E.
Charlottesville, VA 22901
ATTN: P. A. Crowley
ATTN: R. Jones

COMMANDER
U. S. Army Missile Command
Redstone Arsenal
Huntsville, AL 35809
ATTN: AMSMI-YTT W. G. Preussel, Jr.

COMMANDER
U. S. Army Nuclear Agency
Fort Bliss, TX 79916
ATTN: USANUA-W. J. Berbert

CHIEF of Naval Research
Department of the Navy
Arlington, VA 22217
ATTN: CODE 464 Jacob L. Warner
ATTN: CODE 464 Thomas P. Quinn

COMMANDER
Naval Air Systems Command
Headquarters
Washington, D. C. 21360
ATTN: AIR 5381

COMMANDER
Naval Electronics Systems Command
Naval Electronic Systems CMD HQS
Washington, D. C. 20360
ATTN: NAVALEX 034 T. Barry Hughes
ATTN: PME 106-1 Satellite Comm Project Off
ATTN: John E. Doncarlos
ATTN: PME 117

COMMANDER
Naval Electronics Laboratory Center
San Diego, CA 92152
ATTN: William F. Moler
ATTN: CODE 22001 Verne E. Hildebrand
ATTN: R. Eastman

COMMANDING OFFICER
Naval Intelligence Support CTR
4301 Suitland Road, Bldg. 5
Washington, D. C. 20390
ATTN: Mr. Dubbin Stic 12

DIRECTOR
Naval Research Laboratory
Washington, D. C. 20375
ATTN: HDQ COMM DIR Bruce Wald
ATTN: CODE 5460 Radio Propagation BR
ATTN: CODE 7701 J. D. Brown

ATTN: CODE 7700, T. P. Coffey 25 Copies

ATTN: CODE 7750, Branch Head 150 Copies

COMMANDER
Naval Space Surveillance System
Dahlgren, VA 22448
ATTN: CAPT. J. H. Burton

COMMANDER
Naval Surface Weapons Center
White Oak, Silver Spring, MD. 20910
ATTN: CODE 1224 Navy Nuc Prgms Off

DIRECTOR
Strategic System Project Office
Navy Department
Washington, D. C. 20376
ATTN: NSP-2141

COMMANDER
ADC/AD
ENT AFB CO 80912
ATTN: ADDA

AF Cambridge Rsch Labs, AFSC
L. G. Hanscom Field
Bedford,MA 01730
ATTN: LKB Kenneth S. W. Champion
ATTN: OPR James C. Ulwick

AF Weapons Laboratory, AFSC
Kirtland AFB, NM 87117
ATTN: John M. Kamm SAS
ATTN: SUL

AFTAC
Patrick AFB, FL 32925
ATTN: TF MAJ. E. Hines
ATTN: TF/CAPT. Wiley
ATTN: TN

Air Force Avionics Laboratory, AFSC
Wright-Patterson AFB, OH 45433
ATTN: AFAL AVWE Wade T. Hunt

Assistant Chief of Staff
Studies and Analysis
Headquarters, U. S. Air Force
Washington, D. C. 20330
ATTN: LTC. A.D. Dayton

Headquarters
Electronic Systems Division, (AFSC)
L. G. Hanscom Field
Bedford, MA 01730
ATTN: XRE LT. Michaels
ATTN: LTC J. Morin CDEF XRC
ATTN: YSEV LTC. David C. Sparks

COMMANDER
Foreign Technology Division, AFSC
Wright-Patterson AFB, OH 45433
ATTN: TD-BTA LIBRARY

HQ USAF/RD
Washington, D. C. 20330
ATTN: RDQ

COMMANDER
Rome Air Development Center, AFSC
Griffiss AFB, N.Y. 13440
ATTN: EMTLD Doc Library

COMMANDER IN CHIEF
Strategic Air Command
Offutt AFB, NM 68113
ATTN: XPFS MAJ. Brian G. Stephan

544IES
Offutt AFB, NB 68113
ATTN: RDPO LT. Alan B. Merrill

Los Alamos Scientific Laboratory
P. O. Box 1663
Los Alamos, NM 87544
ATTN: DOC CON for R. F. Taschek

Sandia Laboratories
P. O. Box 5800
Albuquerque, NM 87115
ATTN: DOC CON for A. Dean Thornbrough
ATTN: DOC CON for W. D. Brown
ATTN: DOC CON for D. A. Dahlgren, ORG 1722
ATTN: DOC CON for J. P. Martin, ORG 1732

University of California
Lawrence Livermore Laboratory
P. O. Box 808
Livermore, CA 94550
ATTN: Tech Info Dept L-3

Department of Commerce
National Oceanic & Atmospheric Admin.
Environmental Research Laboratories
Boulder, CO 80302
ATTN: Joseph H. Pope
ATTN: C. L. Rufenach

Department of Commerce
Office of Telecommunications
Institute for Telecom Science
Boulder, CO 80302
ATTN: Glenn Falcon
ATTN: William F. Utlaut
ATTN: G. Reed
ATTN: L. A. Berry

Department of Transportation
Transportation Rsch. System Center
Kendall Square
Cambridge, MA 02142
ATTN: TER G. Harowles

NASA
Goddard Space Flight Center
Greenbelt, MD 20771
ATTN: CODE 750 T. Golden

NASA
600 Independence Ave., S.W.
Washington, D. C. 20546
ATTN: M. Dubin

Aerospace Corporation
P. O. Box 92957
Los Angeles, CA 90009
ATTN: T. M. Salmi
ATTN: S. P. Bower
ATTN: V. Josephson
ATTN: SMFA for PWW

Analytical Systems Corporation
25 Ray Avenue
Burlington, MA 01803
ATTN: Radio Sciences

Avco-Everett Research Laboratory, Inc.
2385 Revere Beach Parkway
Everett, MA 02149
ATTN: Richard M. Patrick

Boeing Company, The
P. O. Box 3707
Seattle, WA 98124
ATTN: D. Murray
ATTN: Glen Keister

Brown Engineering Company, Inc.
Cummings Research Park
Huntsville, AL 35807
ATTN: David Lambert MS 18

California at San Diego, Univ. of
Building 500 Mathews Campus
3172 Miramar Road
La Jolla, CA 92037
ATTN: Henry G. Booker

Calspan Corporation
P. O. Box 235
Buffalo, N.Y. 14221
ATTN: Romeo A. Deliberis

Computer Sciences Corporation
P. O. Box 530
6565 Arlington, VA 22046
ATTN: H. Blank
ATTN: Barbara F. Adams

Comsat Laboratories
P. O. Box 115
Clarksburg, Md. 20734
ATTN: R. R. Taur

Cornell University
Department of Electrical Engineering
Ithaca, N. Y. 14850
ATTN: D. T. Farley, Jr.

ESL, Inc.
495 Java Drive
Sunnyvale, CA 93102
ATTN: J. Roberts
ATTN: V. L. Mower
ATTN: James Marshall
ATTN: R. K. Stevens

General Electric Company
Tempo-Center for Advanced Studies
816 State Street
Santa Barbara, CA 93102
ATTN: Don Chandler
ATTN: DASIAC

General Electric Company
P. O. Box 1122
Syracuse, N.Y. 13201
ATTN: F. A. Reibert

General Research Corporation
P. O. Box 3587
Santa Barbara, CA 93105
ATTN: John Ise, Jr.

Geophysical Institute
University of Alaska
Fairbanks, AK 99701
ATTN: Technical Library
ATTN: Neil Brown
ATTN: T. N. Davis

GTE Sylvania, Inc.
189 B Street
Needham Eeights, MA 02194
ATTN: Marshal Cross

HRB-Singer, Inc.
Science Park, Science Park Road
P. O. Box 60
State College, PA 16801
ATTN: Larry Feathers

Illinois, University of
Department of Electrical Engineering
Urbana, IL 61801
ATTN: K. C. Yeh

Institute for Defense Analyses
400 Army-Navy Drive
Arlington, VA 22202
ATTN: Ernest Bauer
ATTN: Hans Wolfhard
ATTN: J. M. Aein
ATTN: Joel Bengston

Intl Tel & Telegraph Corporation
500 Washington Avenue
Nutley, N. J. 07110
ATTN: Technical Library

Itt Electro-Physics Laboratories, Inc.
9140 Old Annapolis Road
Columbia, Md. 21043
ATTN: John M. Kelso

John Hopkins University
Applied Physics Laboratory
8621 Georgia Avenue
Silver Spring, MD 20910
ATTN: Document Librian

Lockheed Missiles & Space Co., Inc.
P. O. Box 504
Sunnyvale, CA 94088
ATTN: Dept 60-12

Lockheed Missiles and Space Company
3251 Hanover Street
Palo Alto, CA 94304
ATTN: Billy M. McCormac, Dept 52-14
ATTN: Martin Walt, Dept 52-10
ATTN: Richard G. Johnson, Dept 52-12

M.I.T. Lincoln Laboratory
P. O. Box 73
Lexington, MA 02173
ATTN: Mr. Walden, X113
ATTN: D. Clark
ATTN: James H. Pannell L-246
ATTN: Lib A-082 for David M. Towle

Martin Marietta Corporation
Denver Distribution
P. O. Box 179
Denver, CO 08201
ATTN: Special Projects Program 248

Maxwell Laboratories, Inc.
9244 Balboa Avenue
San Diego, CA 92123
ATTN: A. J. Shannon
ATTN: V. Fargo
ATTN: A. N. Rostocker

McDonnel Douglas Corporation
5301 Bolsa Avenue
Huntington Beach, CA 92467
ATTN: J. Moule
ATTN: N. Harris

Mission Research Corporation
735 State Street
Santa Barbara, CA 93101
ATTN: R. Hendrick
ATTN: R. E. Rosenthal
ATTN: R. Bogusch
ATTN: David Sowle
ATTN: M. Scheibe
ATTN: P. Fischer

Mitre Corporation, The
Route 62 and Middlesex Turnpike
P. O. Box 208
Bedford, MA 01730
ATTN: S. A. Morin M/S
ATTN: Chief Scientist W. Sen
ATTN: G. Harding

Mitre Corporation, The
Westgate Research Park
1820 Dolley Madison Blvd.
McLean, VA 22101
ATTN: Allen Schneider

North Carolina State Univ at Raleigh
North Carolina State Univ Campus
Raleigh, N.C. 27507
ATTN: SEC Officer for Walter A. Flood

Pacific-Sierra Research Corp.
1456 Cloverfield Blvd.
Santa Monica, CA 90404
ATTN: E. C. Field, Jr.

Philco-Ford Corporation
Western Development Laboratories Div
3939 Fabian Way
Palo Alto, CA 94303
ATTN: J. T. Mattingley MS X22

Photometrics, Inc.
442 Marrett Road
Lexington, MA 02173
ATTN: Irving L. Kofsky

R & D Associates
P. O. Box 3580
Santa Monica, CA 90403
ATTN: Robert E. Lelevier
ATTN: Forest Gilmore
ATTN: Richard Latter
ATTN: William B. Wright, Jr.

Rand Corporation, The
1700 Main Street
Santa Monica, CA 90406
ATTN: Cullen Crain

Science Applications, Inc.
P. O. Box 2351
La Jolla, CA 92038
ATTN: D. Sachs
ATTN: E. A. Straker

Stanford Research Institute
333 Ravenswood Avenue
Menlo Park, CA 94025
ATTN: L. L. Cobb
ATTN: Walter G. Chestnue
ATTN: Donald Neilson
ATTN: David A. Johnson
ATTN: Charles L. Rino
ATTN: E. J. Fremouw

Stanford Research Institute
306 Wynn Drive, N. W.
Huntsville, AL 35805
ATTN: Dale H. Divis

Tri-Com, Inc.
12216 Parklawn Place
Rockville, MD 20852
ATTN: Darrel Murray

TRW Systems Group
One Space Park
Redondo Beach, CA 90278
ATTN: P. H. Katsos
ATTN: J. W. Lowry